Ser. No. 10/625,078

## AMENDMENTS TO THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

Claims 1-9 (Cancelled)

10. (New) A display system which is provided on a ship, said system comprising:

a plurality of informational signal producing units, at least some of said units being arranged to produce information which is different from that produced by others of said units.

a plurality of indicators located at different points on said ship with each of the indicators selecting and displaying signals from the plurality of informational signal producing units;

means for coupling between the plurality of informational signal producing units and each of the plurality of indicators; and

selecting means provided in each of the indicators for selecting signals from the plurality of informational signal producing units.

11. (New) A display system according to claim 10, wherein said informational signal producing units are a plurality of measuring devices.

2

F7707 pam2 {PC 5 }.wpd

Ser. No. 10/625,078

- 12. (New) A display system according to claim 11, wherein a parameter is transmitted to a desired one of the plurality of measuring devices from at least one of the indicators.
  - 13. (New) A display system according to claim 12, wherein:

said measuring devices comprise at least a radar and/or a plotter and/or an echo sounder installed in a ship, with the radar searching conditions around the ship, the plotter outputting signals representing a position of the ship and a past track thereof, and the echo sounder searching underwater conditions;

said plurality of indicators select and display the signals supplied from radar and/or the plotter and/or the echo sounder;

said coupling means couple between the radar and the plotter and the echo sounder and each of the plurality of indicators;

said selecting means are provided in each of the indicators for selecting the signals from the radar and/or the plotter and/or the echo sounder; and

a parameter is transmitted to a desired one of the radar, the plotter and/or the echo sounder from at least one of the indicators.

14. (New) A display system comprising:

a plurality of measuring devices installed in a ship;

3

F7707 pam2 (PC 5 ).wpd

Ser. No. 10/625,078

a plurality of indicators installed at different points in the ship with each of the indicators selecting and displaying signals supplied from the plurality measuring devices;

means for coupling between the plurality of measuring devices and each of the plurality of indicators; and

selecting means provided in each of the indicators for selecting signals from the plurality of measuring devices;

wherein a parameter is transmitted to a desired one of the plurality of measuring devices from at least one of the indicators.

15. (New) A display system. comprising:

a plurality of measuring devices;

a plurality of indicators installed at different points with each of the indicators selecting and displaying signals from the plurality of measuring devices;

means for coupling between the plurality of measuring devices and each of the plurality of indicators; and

selecting means provided in each of the indicators for selecting signals from the plurality of measuring devices;

4

F7707 pam2 {PC 5 }.wpd

Ser. No. 10/625,078

wherein a parameter is transmitted to a desired one of the plurality of measuring devices from at least one of the indicators.

5

7707 pan2 (PC 5 ).wod